

## MannaQure Summary Report: Non-Clinical

### Subject Information:

	#1	#2	#3	#4
Subject Initials	JM	RM	SC	MC
Age	32	41	61	29
Gender	F	M	M	F
Other Languages Spoken	English	English	English	English
Medical Dx	NA	NA	NA	NA
Onset Date	NA	NA	NA	NA
Subjects Country of Origin	USA	USA	Mexico	USA

### Therapist Information:

Monolingual or Bilingual	M	B	B	B
Level of Fluency	3	5	5	5

### Communication-Cognitive Evaluation:

Receptive Language Raw Score	3.5/3.5	3.5/3.5	3.5/3.5	3.5/3.5
Receptive Language Severity Level	WFL	WFL	WFL	WFL
Expressive Language/Speech Production Raw Score	2.5/2.5	2.5/2.5	2.5/2.5	2.5/2.5
Expressive Language/Speech Production Severity Level	WFL	WFL	WFL	WFL
Cognition Raw Score	4/4	4/4	4/4	4/4
Cognition Severity Level	WFL	WFL	WFL	WFL
<b>Total Communication-Cognitive Evaluation Raw Score</b>	<b>10/10</b>	<b>10/10</b>	<b>10/10</b>	<b>10/10</b>
<b>Total Communication-Cognitive Evaluation Severity Level</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>

### Oral-Mechanism Function Evaluation:

Labial Structure Raw Score	7/7	7/7	7/7	7/7
Labial Structure Severity Level	WFL	WFL	WFL	WFL
Lingual Structure Raw Score	9/9	9/9	Mild	9/9
Lingual Structure Severity Level	WFL	WFL	WFL	WFL
Laryngeal Raw Score	6/6	5/6	6/6	6/6
Laryngeal Severity Level	WFL	Mild	WFL	WFL
Soft Palate Raw Score	3/3	3/3	3/3	3/3
Soft Palate Severity Level	WFL	WFL	WFL	WFL
Respiration Raw Score	5/5	5/5	2.5/5	5/5
Respiration Severity Level	WFL	WFL	Mod	WFL
Oral-Facial Stimulability Response Items	NA	NA	NA	NA
Oral-Facial Stimulability Percentage	NA	NA	NA	NA
<b>Total Oral-Mechanism Function Evaluation Score</b>	<b>30/30</b>	<b>29/30</b>	<b>26/30</b>	<b>30/30</b>
<b>Total Oral-Mechanism Function Evaluation Severity Level</b>	<b>WFL</b>	<b>WFL</b>	<b>Mild</b>	<b>WFL</b>

### Bedside Evaluation:

Oral Phase Raw Score	45/45	45/45	45/45	45/45
Oral Phase Severity Level	WFL	WFL	WFL	WFL
Pharyngeal Phase Raw Score	15/15	15/15	15/15	15/15
Pharyngeal Phase Severity Level	WFL	WFL	WFL	WFL

<b>Total Bedside Evaluation Score</b>	<b>60/60</b>	<b>60/60</b>	<b>60/60</b>	<b>60/60</b>
<b>Total Bedside Evaluation Severity Level</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>
<b>Total Dysphagia/Dysarthria Raw Score:</b>	<b>100/100</b>	<b>99/100</b>	<b>96/100</b>	<b>100/100</b>
<b>Total Dysphagia/Dysarthria Severity Level:</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>























#55	#56	#57	#58	#59	#60
AV	HG	RB	JL	DO	VR
29	23	65	85	39	57
F	F	M	M	F	F
English	English	English	NA	NA	NA
NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
USA	USA	USA	Mexico	Mexico	Mexico

B	B	M	M	M	M
5	5	3	3	1	1

3.5/3.5	3.5/3.5	3.5/3.5	3.5/3.5	3.5/3.5	3.5/3.5
WFL	WFL	WFL	WFL	WFL	WFL
2.5/2.5	2.5/2.5	2.5/2.5	2.5/2.5	2.5/2.5	2.5/2.5
WFL	WFL	WFL	WFL	WFL	WFL
4/4	4/4	4/4	4/4	4/4	4/4
WFL	WFL	WFL	WFL	WFL	WFL
<b>10/10</b>	<b>10/10</b>	<b>10/10</b>	<b>10/10</b>	<b>10/10</b>	<b>10/10</b>
<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>

7/7	7/7	7/7	7/7	7/7	7/7
WFL	WFL	WFL	WFL	WFL	WFL
9/9	9/9	9/9	9/9	9/9	9/9
WFL	WFL	WFL	WFL	WFL	WFL
6/6	6/6	6/6	6/6	6/6	6/6
WFL	WFL	WFL	WFL	WFL	WFL
3/3	3/3	3/3	3/3	3/3	3/3
WFL	WFL	WFL	WFL	WFL	WFL
5/5	5/5	2.5/5	5/5	5/5	5/5
WFL	WFL	Mod	WFL	WFL	WFL
NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
<b>30/30</b>	<b>30/30</b>	<b>27.5/30</b>	<b>30/30</b>	<b>30/30</b>	<b>30/30</b>
<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>

45/45	45/45	45/45	45/45	45/45	45/45
WFL	WFL	WFL	WFL	WFL	WFL
15/15	15/15	15/15	15/15	15/15	15/15
WFL	WFL	WFL	WFL	WFL	WFL

<b>60/60</b>	<b>60/60</b>	<b>60/60</b>	<b>60/60</b>	<b>60/60</b>	<b>60/60</b>
<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>

<b>100/100</b>	<b>100/100</b>	<b>97.5/100</b>	<b>100/100</b>	<b>100/100</b>	<b>100/100</b>
<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>	<b>WFL</b>